

**MISCELLANEOUS PRODUCT SPECIFICATIONS**

Date: 2010-12-28

<b>PRODUCT NAME</b>	:	Anti-h Adiponectin 1903 SPTN-5
<b>PRODUCT SPECIFICITY</b>	:	Antibody recognizes human Adiponectin
<b>PRODUCT CODE</b>	:	100257
<b>PRODUCT BUFFER</b>	:	50 mM Na-citrate, pH 6.0, 0.9 % NaCl, 0.1 % NaN <sub>3</sub> as a preservative
<b>SHELF LIFE AND STORAGE</b>	:	Shelf life six months at 2-8 °C
<b>ANALYTE DESCRIPTION</b>	:	Adiponectin is a protein hormone that modulates a number of metabolic processes, including glucose regulation and fatty acid catabolism. Adiponectin is exclusively secreted from adipose tissue into the bloodstream and is very abundant in plasma relative to many hormones at around 5-10 µg/mL. Levels of the hormone are inversely correlated with body fat percentage in adults, while the association in infants and young children is more unclear. The hormone plays a role in the suppression of the metabolic derangements that may result in type 2 diabetes, obesity, atherosclerosis, non-alcoholic fatty liver disease (NAFLD) and an independent risk factor for metabolic syndrome. Adiponectin automatically self-associates into larger structures. Initially, three adiponectin molecules bind together to form a homotrimer. The trimers continue to self-associate and form hexamers or dodecamers.

**PARAMETERS TESTED FROM EACH LOT**

<b>PRODUCT APPEARANCE</b>	:	Clear liquid, may turn opaque during storage
<b>PRODUCT CONCENTRATION</b>	:	5.0 mg/ml (+/- 10 %)
<b>PRODUCT ACTIVITY</b>	:	80 – 120 % compared to reference in an IFMA-test
<b>IEF-RANGE</b>	:	7.5 – 8.7
<b>PURITY</b>	:	≥ 95 %

**PARAMETERS DETERMINED ONLY DURING PRODUCT R&D PHASE**

<b>CLASS AND SUBCLASS</b>	:	IgG <sub>2b</sub>
<b>ASSOCIATION CONSTANT</b>	:	3 x 10 <sup>5</sup> 1/Ms
<b>DISSOCIATION CONSTANT</b>	:	2 x 10 <sup>-4</sup> 1/s
<b>AFFINITY CONSTANT</b>	:	K <sub>d</sub> : 6 x 10 <sup>-10</sup> M (=0.6 nM); K <sub>a</sub> : 2 x 10 <sup>9</sup> 1/M
<b>DETERMINATION METHOD</b>	:	SPR-analysis (ProteOn XPR36)
<b>ANTIGEN</b>	:	Recombinant human Adiponectin (BioVendor, cat.no. RD172029100)
<b>CROSS-REACTIVITIES</b>	:	Antibody recognizes both monomeric and trimeric Adiponectin, oligomeric forms not tested.

**EPITOPE** : N/A

**EPITOPE GROUP** : N/A

Two antibodies binding to the same, or closely located epitopes, belong to the same group and hence cannot be used as a pair in a sandwich assay. Epitope group numbering does not give any detailed information where the epitope is located.

**PAIR RECOMMENDATIONS** : **SOLID** **LABEL**

1903	1901, 1905
1901, 1905	1903

Please note that pair recommendations are based on results obtained in our laboratory and equally good results can be obtained using also other pairs and therefore these recommendations should be taken only as directive.

**PRODUCT STABILITY** : **TEMPERATURE, DAYS** **RESULT**

Please note that the shelf life given on page one is based on real time stability testing at +2-8°C in the product buffer.

-70 °C, 21 days	OK
-20 °C, 21 days	OK
+4 °C, 21 days	OK
+25 °C, 21 days	OK
+35 °C, 21 days	OK
+45 °C, 7 days	OK

Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge and composition of the antibody. The maximum duration of the test is 21 days, except for the +45°C only 7 days.

**pH, 14 DAYS, +4 °C** **RESULT**

5.0	OK
6.0	OK
7.0	OK
8.0	OK

Stability testing is performed to see whether different pH affect the antigen binding, charge and composition of the antibody during 14 days at +4°C.

**MISCELLANEOUS** :

**REFERENCES** :

### Legal disclaimer

MedixMAB monoclonal antibodies meet their specifications if transported, stored and used according to the instructions for use. See also separate *Notes on use and storage of monoclonal antibodies*. If not otherwise agreed in writing all products are sold under *General Delivery Terms*. Other terms may apply if MedixMAB monoclonal antibodies are purchased from an official distributor of Medix Biochemica products. MedixMAB is a registered trademark of Medix Biochemica and may not be used or reproduced without Medix Biochemica's written permission. Further information on products and methods is available from medixMAB website and extranet.