


**INFECTIOUS
DISEASES**
PRODUCT SPECIFICATIONS

Date: 2010-05-24

PRODUCT NAME	:	Anti-Influenza B 9901 SPTNE-10
PRODUCT SPECIFICITY	:	Antibody recognizes <i>Influenza</i> B nucleoprotein (np)
PRODUCT CODE	:	100117
PRODUCT BUFFER	:	50 mM Na-citrate, pH 6.0, 0.9 % NaCl, 25 % ethylene glycol, 0.1 % NaN ₃ as a preservative
SHELF LIFE AND STORAGE	:	12 months from manufacturing at 2-8 °C
ANALYTE DESCRIPTION	:	Influenza B virus is the only species in a genus in the virus family Orthomyxoviridae. Influenza B viruses are only known to infect humans and seals. This limited host range is apparently responsible for the lack of Influenza B caused influenza pandemics in contrast with those caused by the morphologically similar Influenza A. In addition, Influenza B mutates at a rate 2-3 times lower than type A. However, influenza B mutates enough that lasting immunity is not possible.

PARAMETERS TESTED FROM EACH LOT

PRODUCT APPEARANCE	:	Clear liquid, may turn slightly opaque during storage
PRODUCT CONCENTRATION	:	9.0-11.0 mg/ml
PRODUCT ACTIVITY	:	80-120 % compared to reference in an IFMA-test
IEF-RANGE	:	6.0 - 7.2
PURITY	:	≥ 95 %

PARAMETERS DETERMINED ONLY DURING PRODUCT R&D PHASE

CLASS AND SUBCLASS	:	IgG _{2b}
ASSOCIATION CONSTANT	:	
DISSOCIATION CONSTANT	:	
AFFINITY CONSTANT	:	n.d.
DETERMINATION METHOD	:	
ANTIGEN	:	
CROSS-REACTIVITIES	:	Antibody 9901 does not cross-react with the following bacteria or viruses Coxsackie -virus types: A9, B5, B6 Echo-virus types: 2, 3, 6, 7, 9, 11, 25, 30 Parainfluenza-virus types: 1, 2, 3 Rhino-virus types: 1A, 2, 13, 15, 37 Respiratory syncytial virus types: A and B Cytomegalovirus AD169 Herpes simplex virus-types: 1 and 2 <i>B. fragilis</i> , <i>H. influenzae</i> , <i>S. pneumoniae</i> , <i>M. catarrhalis</i> , <i>N. meningitidis</i> , <i>S. agalactiae</i> , <i>E. faecalis</i> , <i>K. pneumoniae</i> , <i>S. pyogenes</i> , <i>S. aureus</i> , <i>P. aeruginosa</i> , <i>E. coli</i> , <i>B. pertussis</i> , <i>C. albicans</i> , <i>N. gonorrhoeae</i> , β -hemolytic streptococcus group C, β -hemolytic streptococcus group G, <i>M. pneumoniae</i> , <i>S. viridians</i> , <i>L. monocytogenes</i> , <i>S. epidermidis</i> , <i>P. mirabilis</i>

EPITOPE :

EPITOPE GROUP :

Two antibodies binding to the same, or closely located epitopes, belong to the same group and hence cannot be used as a pair in a sandwich assay. Epitope group numbering does not give any detailed information where the epitope is located.

PAIR RECOMMENDATIONS : **SOLID** **LABEL**

Please note that pair recommendations are based on results obtained in our laboratory and equally good results can be obtained using also other pairs and therefore these recommendations should be taken only as directive.

PRODUCT STABILITY : **TEMPERATURE, DAYS** **RESULT**

- 70 °C, 21 days
- 20 °C, 21 days
- +4 °C, 21 days
- +25 °C, 21 days
- +35 °C, 7 days
- +35 °C, 21 days
- +45 °C, 3 days
- +45 °C, 7 days

pH, 14 DAYS, +4 °C **RESULT**

- 5.0
- 6.0
- 7.0
- 8.0

MISCELLANEOUS :

REFERENCES : Walls, H.H., Johansson, K.H., Harmon, M.W., Halonen, P.E., Kendal, A.P. (1986) Time-resolved fluoroimmunoassay with monoclonal antibodies for rapid diagnosis of influenza infections. J. Clin. Microbiol. 24:907-912

Legal disclaimer

MedixMAB monoclonal antibodies meet their specifications if transported, stored and used according to the instructions for use. See also separate *Notes on use and storage of monoclonal antibodies*. If not otherwise agreed in writing all products are sold under *General Delivery Terms*. Other terms may apply if MedixMAB monoclonal antibodies are purchased from an official distributor of Medix Biochemica products. MedixMAB is a registered trademark of Medix Biochemica and may not be used or reproduced without Medix Biochemica's written permission. Further information on products and methods is available from medixMAB website and extranet.